



## CP04M0N0

BAKERY OVEN 4 TRAYS 600X400 - GN 1/1  
MECHANICAL CONTROL



## FUNCTIONAL CHARACTERISTICS

Display	Analogic
Supply	Electric
Timer	Linear scale
Number of motors	2
Motor speeds	1 speed + reverse rotation
Max cooking temperature	260 °C
Core probe	-
Cooking chamber material	AISI 304
Opening door	Right handle
Chimney	50 mm open
Humidification	Direct injection
Air Injection	-
Version	Standard

## STANDARDS

Certification	CE
---------------	----

## TRAYS

Trays rack	Wire PA-BIV 4/80 mm
Max tray load	4 kg

## DIMENSIONS

Oven size with handle WxDxH (mm)	814x832x615 mm
Oven size without handle WxDxH (mm)	814x768x616 mm
Chamber size WxDxH (mm)	600x456x345 mm
Unit weight (kg)	67,5Kg

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	865x895x791 mm
Unit weight with packaging	82,5Kg

## ELECTRICAL DATA

### HEATERS 5kW 50/60Hz

Power	7,2kW
Frequency	50/60Hz
Power supply	380-415V 3N~ / 220-240V ~
Amperage	14,6A/31,3A
Power cord req.	5G1,5/3G6

## WATER CONNECTION REQUIREMENTS

Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	-
Water drain	-
Max water hardness	5 [° f]
Water pressure requirement min-max	150-200 kPa

## CONSUMPTION

Humidification Water with solenoid valve	4,8 [l/h] max consumption
Humidification Water with pump	-
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-

## CONNECTIVITY

USB	-
Bluetooth	-
Wi-Fi	-
Cloud	-

## ACCESSORIES

Self clean system kit	-
Oven stand	TA8274H30X TA8274H40X - TA8274H40S TA8274H49X - TA8274H49S TA8274H70X - TA8274H70S TA8274H80X - TA8274H80S
Stand wheel kit	R60B
Hood (Air)	POCPMAF1 POCPMAF2
Hood (Water)	POCPMWF1 POCPMWF2
External Core probe	-
Sous vide probe	-
Proofer	CA8212M0 CA8212MH CA8012DH
Stacking kit for 2 ovens	SKCP44N

Smoker	-
Bast Chiller	-
Blast chiller stacking kit	-
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	-
Detergent 6 Kg	-
Detergent 10 Kg	-